




SAUDER FEEDS

POULTRY

PRODUCTS

- 221-01 20% Chick Starter / Amprol
- 222-00 18% Chick Grower / No Med
- 201-01 23% Hi Energy Broiler Starter / Amprol
- 202-01 20% Hi Energy Broiler Finisher / Amprol
- 217-00 17% Layer Meal / Crumb
- 238-00 38% Poultry Concentrate
- xx Poultry Scratch Grains
- 870-00 Duck Grower
- 831-33 Game Bird Starter
- 832-00 Game Bird Grower / Flight Conditioner
- 833-33 Game Bird Breeder Ration



ADDRESS

14033 GRABILL RD.
GRABILL, IN 46741

CONTACT

PHONE: 260-627-2196
TOLL FREE: 800-589-2196
WEBSITE: www.sauderfeeds.com



20% CHICK STARTER / AMPROL

221-01



FINE CRUMB | HATCH THROUGH 4 WEEKS | BROILER/LAYERS

THE CHICK STARTER IS A COMPLETE FEED NUTRITIONALLY BALANCED FOR CHICKS FROM HATCH TO FIVE WEEKS OF AGE. IT MAY BE USED FOR BROILER CHICKS BUT HAS LOWER PROTEIN THAN THE HI ENERGY BROILER STARTER. IT PROVIDES A 20% PROTEIN LEVEL, MAXIMUM FIBER CONTENT OF 5%, AND IS FORTIFIED WITH THE REQUIRED VITAMINS AND MINERALS NEEDED TO GIVE BROILER CHICKS A HEALTHY START. AMPROLIUM IS ADDED FOR PREVENTION OF COCCIDIOSIS WHERE IMMUNITY TO COCCIDIOSIS IS NOT DESIRED.

FEEDING DIRECTIONS:

The 20% chick starter is crumb and should be fed as a complete feed.

Clean, fresh water should be provided at all times.

Order formula number: **15 sacked**
696 bulk

ACTIVE DRUG INGREDIENTS:

Amprolium.....0.0125%

GUARANTEED ANALYSIS:



Crude Protein, min20.00%
Lysine, min1.05%
Methionine, min0.45%
Crude Fat, min3.75%
Crude Fiber, max5.00%
Calcium, min0.70%
Calcium, max1.20%
Phosphorus, min0.70%
Salt, min0.20%
Salt, max0.70%

18% CHICK GROWER / NO MED

222-00



CRUMB | 5 WEEKS TO MARKET OR TO LAY | BROILER/LAYERS

THE CHICK GROWER IS A NON-MEDICATED COMPLETE FEED SPECIFICALLY BALANCED NUTRITIONALLY FOR CHICKS FROM 5 WEEKS OF AGE. IT MAY BE FED UNTIL MARKET WEIGHT OR FOR LAYERS TO THE START OF LAYING. IT PROVIDES AN 18% PROTEIN LEVEL, MAXIMUM FIBER CONTENT OF 6%, AND IS FORTIFIED WITH THE REQUIRED VITAMINS AND MINERALS NEEDED TO GIVE ALL TYPES OF CHICKS A HEALTHY START.

FEEDING DIRECTIONS:

The chick grower is a coarse crumb to be fed as a complete feed.

Feed to chicks until market weight is achieved or laying starts in hens.

Clean, fresh water should be provided at all times.

Order formula number: **2385 sacked**
2648 bulk

GUARANTEED ANALYSIS:



| | |
|--------------------------|--------|
| Crude Protein, min | 18.00% |
| Lysine, min | 0.85% |
| Methionine, min | 0.30% |
| Crude Fat, min | 4.00% |
| Crude Fiber, max | 6.00% |
| Calcium, min | 0.65% |
| Calcium, max | 1.15% |
| Phosphorus, min | 0.70% |
| Salt, min | 0.25% |
| Salt, max | 0.75% |

23% HI ENERGY BROILER STARTER / AMPROL

201-01



FINE CRUMB | HATCH THROUGH 4 WEEKS | BROILERS

THE HI ENERGY BROILER STARTER IS A COMPLETE FEED SPECIFICALLY BALANCED NUTRITIONALLY FOR BROILER CHICKS FROM DAY ONE TO FOUR WEEKS OF AGE. IT HAS A 23% PROTEIN LEVEL, MAXIMUM FIBER CONTENT OF 4.5%, AND IS FORTIFIED WITH THE REQUIRED VITAMINS AND MINERALS NEEDED TO GIVE BROILER CHICKS A HEALTHY START. AMPROLIUM IS ADDED FOR PREVENTION OF COCCIDIOSIS, WHERE IMMUNITY TO COCCIDIOSIS IS NOT DESIRED.

FEEDING DIRECTIONS:

The chick grower is a coarse crumb to be fed as a complete feed.

Feed to chicks until market weight is achieved.

Clean, fresh water should be provided at all times.

Order formula number: **592 sacked**
275 bulk

ACTIVE DRUG INGREDIENTS:

Amprolium.....0.0125%

GUARANTEED ANALYSIS:



Crude Protein, min23.00%
Lysine, min1.20%
Methionine, min0.45%
Crude Fat, min7.20%
Crude Fiber, max4.50%
Calcium, min0.80%
Calcium, max1.30%
Phosphorus, min0.70%
Salt, min0.15%
Salt, max0.65%

20% HI ENERGY BROILER FINISHER / AMPROL

202-01



PELLET | 5 WEEKS TO MARKET WEIGHT | BROILERS

THE HI ENERGY BROILER FINISHER IS A COMPLETE FEED SPECIFICALLY BALANCED NUTRITIONALLY FOR BROILER CHICKS. IT SHOULD BE FED STARTING AT 5 WEEKS OF AGE UNTIL THEY REACH MARKET WEIGHT. IT PROVIDES A 20% PROTEIN LEVEL, MAXIMUM FIBER CONTENT OF 4.2%, AND IS FORTIFIED WITH THE REQUIRED VITAMINS AND MINERALS NEEDED TO GIVE BROILER CHICKS A HEALTHY START. AMPROLIUM IS ADDED FOR PREVENTION OF COCCIDIOSIS WHERE IMMUNITY TO COCCIDIOSIS IS NOT DESIRED.

FEEDING DIRECTIONS:

The Hi Energy broiler finisher is in pellet form to be fed as a complete feed.

It should follow the Hi Energy Starter at 5 weeks of age. It is to be used as the sole source of Amprolium.

Clean, fresh water should be provided at all times.

Order formula number: **648 sacked**
471 bulk

GUARANTEED ANALYSIS:



| | |
|--------------------------|---------|
| Amprolium | 0.0125% |
| Crude Protein, min | 20.00% |
| Lysine, min | 1.00% |
| Methionine, min | 0.35% |
| Crude Fat, min | 5.35% |
| Crude Fiber, max | 4.20% |
| Calcium, min | 0.75% |
| Calcium, max | 1.25% |
| Phosphorus, min | 0.75% |
| Salt, min | 0.40% |
| Salt, max | 0.90% |

38% POULTRY CONCENTRATE

238-00



MEAL | MULTIPLE USES | BROILER/LAYERS

THE 38 POULTRY SUPPLEMENT IS FORMULATED TO ALLOW THE PRODUCER FLEXIBILITY TO MIX THEIR OWN FEED TO FIT HIS NEEDS. IT PROVIDES A 38% PROTEIN LEVEL, MAXIMUM FIBER CONTENT OF 5%, AND IS FORTIFIED WITH THE REQUIRED VITAMINS AND MINERALS NEEDED TO GET A QUALITY MIX ON THE FARM.

ORDERING:

Order formula number: **19 sacked**
280 bulk

GUARANTEED ANALYSIS:



Crude Protein, min38.00%
Lysine, min2.15%
Methionine, min0.45%
Crude Fat, min4.40%
Crude Fiber, max5.00%
Calcium, min6.30%
Calcium, max7.60%
Phosphorus, min1.70%
Salt, min1.10%
Salt, max1.60%

COMPLETE LAYER RATIONS

| MIXING DIRECTIONS | 19% | 18% | 17% | 16% |
|------------------------|------|------|------|------|
| 38% Poultry Supplement | 775 | 725 | 650 | 600 |
| Corn, gr. 7% | 1065 | 1115 | 1185 | 1215 |
| Oats, gr. 10% | 100 | 100 | 100 | 100 |
| Calcium Carbonate | 60 | 60 | 65 | 85 |
| Total Pounds | 2000 | 2000 | 2000 | 2000 |

BROILER RATIONS

| | STARTER | FINISHER |
|------------------------|---------|----------|
| 38% Poultry Supplement | 800 | 700 |
| Corn, gr. 7% | 1200 | 1300 |
| Total Pounds | 2000 | 2000 |

The 38% Poultry Concentrate to be fed as a complete feed after mixed.

Clean, fresh water should be provided at all times.

POULTRY SCRATCH GRAINS

MEAL | SUPPLEMENT TO COMPLETE | ALL POULTRY

POULTRY SCRATCH GRAINS MAY BE USED FOR ALL TYPES OF POULTRY. IT SHOULD USED AS A SUPPLEMENT TO A COMPLETE FEED.

THE POULTRY SCRATCH GRAINS PROVIDE AN 8% PROTEIN LEVEL, MAXIMUM FIBER OF 5%, AND MINIMUM OF 4.25% FAT.

FEEDING DIRECTIONS:

Poultry scratch grains are to be fed as a supplement to a complete layer, starter, or grower feed and not comprise more than 10% of the diet.

Make sure to provide plenty of clean, fresh water at all times.

Order formula number: **1688 sacked**

GUARANTEED ANALYSIS:

| | |
|--------------------------|-------|
| Crude Protein, min | 8.00% |
| Crude Fat, min | 4.25% |
| Crude Fiber, max | 5.00% |



DUCK GROWER

870-00

PELLET | 3 WEEKS TO MARKET | DUCKS

THE DUCK GROWER IS A NON-MEDICATED COMPLETE FEED NUTRITIONALLY BALANCED FOR DUCKS STARTING AT 3 WEEKS OF AGE. IT SHOULD BE FED UNTIL MARKET WEIGHT IS ACHIEVED. IT PROVIDES A 16% PROTEIN LEVEL, MAXIMUM FIBER CONTENT OF 4.5%, AND IS FORTIFIED WITH THE REQUIRED VITAMINS AND MINERALS NEEDED FOR DUCKS TO ATTAIN MARKET WEIGHT.

FEEDING DIRECTIONS:

The Duck Grower is a complete pellet to be fed as a complete feed.

Feed chicks until market weight is achieved.

Clean, fresh water should be provided at all times.

Order formula number: **66 sacked**

GUARANTEED ANALYSIS:



| | |
|--------------------------|--------|
| Crude Protein, min | 16.00% |
| Crude Fat, min | 3.85% |
| Crude Fiber, max | 4.50% |
| Calcium, min | 0.75% |
| Calcium, max | 1.25% |
| Phosphorus, min | 0.65% |
| Salt, min | 0.20% |
| Salt, max | 0.70% |

GAME BIRD STARTER

831-00



FINE CRUMB | HATCH THROUGH 4 WEEKS | GAME BIRDS

THE GAME BIRD STARTER IS A COMPLETE FEED NUTRITIONALLY BALANCED FOR ALL SPECIES OF GAME BIRDS FROM DAY ONE TO 5 WEEKS OF AGE. THE GAME BIRD STARTER PROVIDES A 26% PROTEIN LEVEL, MAXIMUM FIBER CONTENT OF 5%, AND IS FORTIFIED WITH THE REQUIRED VITAMINS AND MINERALS NEEDED FOR A HEALTHY START.

FEEDING DIRECTIONS:

The Game Bird Starter is a fine crumb to be fed as a complete feed.

Order formula number: **61 sacked**
550 bulk

GUARANTEED ANALYSIS:



| | |
|--------------------------|--------|
| Crude Protein, min | 26.00% |
| Lysine, min | 1.60% |
| Methionine, min | 0.45% |
| Crude Fat, min | 3.75% |
| Crude Fiber, max | 5.00% |
| Calcium, min | 1.05% |
| Calcium, max | 1.55% |
| Phosphorus, min | 0.90% |
| Salt, min | 0.05% |
| Salt, max | 0.55% |

832-00 GAME BIRD GROWER & FLIGHT CONDITIONER



832-00

CRUMB | 5 WEEKS TO DESIRED WEIGHT | GAME BIRDS

THE GAME BIRD GROWER IS A NON-MEDICATED COMPLETE FEED NUTRITIONALLY BALANCED FOR ALL SPECIES OF GAME BIRDS FROM 5 WEEKS OF AGE UNTIL DESIRED WEIGHT IS ATTAINED. IT IS USED TO KEEP BIRDS IN TOP CONDITION UNTIL RELEASE. THE GAME BIRD GROWER/CONDITIONER PROVIDES A 22% PROTEIN LEVEL, MAXIMUM FIBER CONTENT OF 7.5%, AND IS FORTIFIED WITH THE REQUIRED VITAMINS AND MINERALS NEEDED FOR A HEALTHY START.

FEEDING DIRECTIONS:

The Game Bird Grower/Conditioner is a crumb to be fed as a complete feed.

Clean, fresh water should be provided at all times.

Order formula number: **62 sacked**
409 bulk

GUARANTEED ANALYSIS:



| | |
|--------------------------|--------|
| Crude Protein, min | 22.00% |
| Lysine, min | 1.00% |
| Methionine, min | 0.30% |
| Crude Fat, min | 3.60% |
| Crude Fiber, max | 7.50% |
| Calcium, min | 0.90% |
| Calcium, max | 1.40% |
| Phosphorus, min | 0.80% |
| Salt, min | 0.05% |
| Salt, max | 0.55% |

GAME BIRD BREEDER RATION

833-00



PELLET | START 4 WEEKS PRIOR TO BREEDING | GAME BIRDS

THE GAME BIRD BREEDER IS A COMPLETE FEED NUTRITIONALLY BALANCED FOR ALL SPECIES OF GAME BIRDS. THIS RATION SHOULD BE STARTED 4 WEEKS PRIOR TO BREEDING AND CONTINUE THROUGHOUT BREEDING SEASON. THE GAME BIRD BREEDER PROVIDES A 19% PROTEIN LEVEL, MAXIMUM FIBER OF 5.50%, AND IS FORTIFIED WITH THE REQUIRED VITAMINS AND MINERALS NEEDED FOR A HEALTHY START.

FEEDING DIRECTIONS:

The Game Bird Breeder is a fine crumb to be fed as a complete feed.

Clean, fresh water should be provided at all times.

Order formula number: **63 sacked**
553 bulk

GUARANTEED ANALYSIS:



| | |
|--------------------------|--------|
| Crude Protein, min | 19.00% |
| Lysine, min | 1.00% |
| Methionine, min | 0.35% |
| Crude Fat, min | 3.55% |
| Crude Fiber, max | 5.50% |
| Calcium, min | 2.75% |
| Calcium, max | 3.25% |
| Phosphorus, min | 0.90% |
| Salt, min | 0.10% |
| Salt, max | 0.60% |

STILL HAVE QUESTIONS?

Let us help!

While this manual is packed full of information about our feeds, we know that sometimes it feels most helpful to talk to an expert who can guide you to the right products!

Our Nutritional Consultants would love to talk with you about your unique needs!

Stop in, give us a call, or send us an email!
We can't wait to hear from you.

Address: 14033 Grabill Rd, Grabill, IN 46741

Phone: 260-627-2196

Toll Free: 800-589-2196

Email: info@sauderfeeds.com

Website: www.sauderfeeds.com

