

SAUDER HORSE FEEDS

804-00 Grabill Horse Mix

811-00 Horseman's Choice

815-00 Complete Horse

814-00 Best Way Horse Conditioner

810-00 TDI10

812-00 TDI12

816-00 TDI16

830-00 TDI30

xx TDI Senior

xx TDI Competition Conditioner

824-00 TDI Safe 'N Sure Horse Feed

GRABILL HORSE MIX 804-00

TEXTURED | WORK OR BUGGY | HORSES

THE GRABILL HORSE MIX IS A TEXTURED FEED WITH AN 11% PROTEIN MADE WITH CLEAN ROLLED CORN. IT IS IDEAL FOR WORK OR BUGGY HORSES AND IS VERY ECONOMICAL. IT HAS MORE CORN IN THE MIX THAN HORSEMAN'S CHOICE.

FEEDING DIRECTIONS:

For maintenance of mature horses it should be fed at the rate of 1/2 to 1lb of feed per 100lbs of body weight.

Feed a good quality hay at the rate of 1 to 2 lbs per 100 lbs of body weight.

Clean, fresh water should be provided at all times.

Order formula number: **636 bulk 736 sacked**



Crude Protein, min	11.00%
Crude Fat, min	3.75%
Crude Fiber, max	8.00%
Calcium, min	0.05%
Calcium, max	0.55%
Phosphorus, min	0.30%
Copper, min	10ppm
Selenium, min	0.35ppm
Zinc, min	35ppm
Vitamin A, min	1,150 IU/LB

HORSEMAN'S CHOICE 811-00

TEXTURED | MATURE HORSE | HORSES

THE HORSEMAN'S CHOICE IS A COMPLETE TEXTURED FEED WITH AN 11.5% PROTEIN MADE USING HI QUALITY INGREDIENTS. IT HAS A FIBER CONTENT OF 10.5% AND IT IS FORMULATED TO PROVIDE ALL THE VITAMINS AND MINERALS THAT YOUR HORSE REQUIRES.

FEEDING DIRECTIONS:

Feed at the rate of 0.5 to 1 lb of feed to 100lbs of body weight along with a good quality hay.

Clean, fresh water should be provided at all times.

Order formula number: 643 sacked

163 bulk



Crude Protein, min	11.50%
Crude Fat, min	3.50%
Crude Fiber, max	10.50%
Calcium, min	0.05%
Calcium, max	0.55%
Phosphorus, min	0.35%
Copper, min	10ppm
Zinc, min	25ppm
Selenium, min	0.30ppm
Vitamin A, min	900 IU/LB

COMPLETE HORSE 815-00

PELLET | MATURE HORSE | HORSES

THE COMPLETE HORSE IS A PELLETED COMPLETE FEED THAT CAN BE FED WITH OR WITHOUT HAY. IT HAS A 12% PROTEIN LEVEL AND A FIBER LEVEL OF 18%. THE CAREFUL BLEND OF ENERGY AND ROUGHAGE ALLOWS IT TO BE FED WITH OR WITHOUT HAY.

FEEDING DIRECTIONS:

Never feed grain to animals that have just worked. Some hay, however, may be fed. Do not work horses immediately after feeding. Do not overfeed as you may cause founder or colic. (Never give a horse more than 6 quarts of feed at a time.) Do not allow a horse to drink heavily when he is hot. This may cause him to founder.

Feed at the rate of 12 to 24 lbs/hd/day.

Horses in light use feed 9 to 14 lbs/hd/day.

Adjust feed amounts by condition of horse and amount of work performed.

Clean, fresh water should be provided at all times.

Order formula number: 58 sacked 704 bulk



Crude Protein, min	12.00%
Crude Fat, min	2.40%
Crude Fiber, max	18.00%
Calcium (Ca), min	0.40%
Calcium (Ca), max	0.90%
Phosphorus (P), min	0.40%
Copper (Cu), min	18ppm
Selenium (Se), min	0.30ppm
Zinc (Zn), min	125ppm
Vitamin A, min	1,450 IU/LB

BEST WAY HORSE CONDITIONER 814-00

MEAL | ALL AGES | HORSE/PONIES

USING ONLY THE HIGHEST QUALITY INGREDIENTS, BEST WAY HORSE CONDITIONER IS AN EXCELLENT RATION BALANCER AND COAT CONDITIONER. IT BOOSTS A CALCIUM-PHOSPHORUS RATIO THAT IS COMPARABLE TO NATURAL BONE STRUCTURE ALONG WITH ADDED VITAMIN D WHICH HELPS ASSIMILATE THE CALCIUM AND PHOSPHORUS. BEST WAY IS A GREAT WAY TO KEEP YOUR HORSE IN TOP CONDITION.

FEEDING DIRECTIONS:

Fouls, Weanling, & Ponies - 2oz per day **Yearlings, Mature Animals -** 2oz, twice a day

Broodmares - 4oz per day

In foul, increase to 5oz per day 60 days before fouling

Stallions - 4oz per day, 30 days before breeding season

6oz per day during breeding season

Order formula number: 59 (25 lb. bags)



Crude Protein, not less than.	17.00%
Crude Fat, not less than	1.75%
Crude Fiber, not more than	8.00%
Calcium (Ca), min	5.00%
Calcium (Ca), max	6.00%
Phosphorus (P), min	5.00%
Copper, min	200 ppm
Selenium, min	8.55 ppm
Zinc, min	
Vitamin A	350,000 IU/lb
Vitamin D ₃	
Vitamin E	800 IU/lb
Niacin	2,000 mg/lb
Choline Chloride	4,000 mg/lk
Pantothenic Acid	260 mg/lb

Riboflavin	240 mg/lb
Thiamine	140 mg/lb
Pyridoxine	75 mg/lb
Folic Acid	95 mg/lb
Inositol	30 mg/lb
Vitamin B ₁₂	
Ascorbic Acid (Vitamin C)	265 mg/lb
Methionine	1090 mg/lb
Biotin	3 mg/lk
Potassium, min	1.00%
Magnesium, min	5600 ppm
Manganese, min	1000 ppm
lodine, min	125 ppm
Cobalt, min	80 ppm
Iron, min	200 ppm

TDI 10 810-00

PELLET | MATURE HORSE | HORSES

TDI 10 IS A SOY FREE PELLET FEED. IT IS FORMULATED AS A FORAGE BALANCER FOR PREGNANT MARES, EASY KEEPERS, AND IDLE HORSES. IT IS A SAFE, ECONOMICAL WAY TO SIGNIFICANTLY ELEVATE MINERALS AND VITAMIN LEVELS WITHOUT ADDING EXCESS PROTEIN AND ENERGY. NOW MADE WITH ZINPRO ORGANIC TRACE MINERALS.

FEEDING DIRECTIONS:

Feed at the rate of 2lb per head, per day along with hay or pasture.

Clean, fresh water should be provided at all times.

Switch pregnant mares to TDI 16 in last month's pregnancy.

Do not feed to sheep or other copper sensitive species.

Order formula number: 1454 sacked

1453 bulk



Crude Protein, min	10.00%
Crude Fat, min	3.00%
Crude Fiber, max	5.00%
Calcium (Ca), min	3.25%
Calcium (Ca), max	4.25%
Phosphorus, min	2.25%
Selenium (Se), min	1.80 ppm
Copper (Cu)	275 ppm
Zinc (Zn), min	750 ppm
Vitamin A, min	15,000 IU/lb
Vitamin D, min	3,700 IU/lb
Vitamin E, min	500 IU/lb

TDI 12 HORSE FEED 812-00

PELLET | ALL AGES | HORSES

TDI 12 IS A PELLETED FEED FORMULATED SPECIFICALLY FOR ADULT HORSES WHO HAVE FINISHED GROWING. IN SMALL QUANTITIES IT IS PERFECT FOR THE IDLE HORSE AS WELL. WHEN FED WITH HAY OR PASTURE TDI 12 PROVIDES ALL THE ESSENTIAL MINERALS AND VITAMINS FOR BREEDING MARES OR PERFORMING HORSES. THIS IS THE SOLE RATION FOR THE HORSE. MADE WITH ZINPRO ORGANIC TRACE MINERALS. NOT TO BE FED TO SHEEP.

FEEDING DIRECTIONS:

Feed with hay.

LBs to feed	Mature Body Weight		
	800-1000	1000-1200	1200-1400
Pregnant Mare	4-6lbs	5-7lbs	6-8lbs
Light Work	5-7lbs	6-8lbs	7-9lbs
Moderate Work	6-8lbs	7-9lbs	8-10lbs
Intense Work	8-10lbs	9-11lbs	10-12lbs
Breeding Stallion	4-8lbs	5-9lbs	6-10lbs
Idle Horse	3-5lbs	3-5lbs	3-5lbs

Order formula number: 1456 sacked

1455 bulk



Crude Protein, min	12.00%
Crude Fat, min	5.00%
Crude Fiber, max	6.50%
Calcium (Ca), min	0.60%
Calcium (Ca), max	1.00%
Phosphorus (P), min	0.50%
Selenium (Se), min	0.60 ppm
Copper (Cu)	50 ppm
Zinc (Zn), min	160 ppm
Vitamin A, min	3,000 IU/lb
Vitamin D, min	540 IU/lb
Vitamin E, min	100 IU/lb

TDI 16 HORSE FEED 816-00

PELLET | ALL AGES | HORSES

TDI 16 IS FORMULATED SPECIFICALLY FOR ALL AGES AND ALL ACTIVITY LEVELS OF HORSES. BALANCED TO AID IN THE REDUCTION OF NUTRITIONAL CAUSED DEVELOPMENTAL ORTHOPEDIC DISEASE. THE PELLET IS THE HORSE'S ENTIRE GRAIN RATION WHEN FED WITH HAY. DO NOT MIX WITH SWEET FEED, OATS, OR OTHER GRAINS. MADE WITH ZINPRO ORGANIC TRACE MINERALS.

NOT TO BE FED TO SHEEP.

FEEDING DIRECTIONS:

(Per Day)	MATURE BODY WEIGHT (LBS.)		
CLASS OF HORSE	800-1000	1000-1200	1200-1400
Pregnant Mare: 1-10 mo. Gestation*	4 - 6 lbs.	5 - 7 lbs.	6 - 8 lbs.
Pregnant Mare: Last mo. Gestation	5 - 7 lbs.	6 - 8 lbs.	7 - 9 lbs.
Lactating Mare: Foaling - 3 mo.	7 - 9 lbs.	8 - 10 lbs.	9 - 11 lbs.
Lactating Mare: 3 mo Weaning	6 - 8 lbs.	7 - 9 lbs.	8 - 10 lbs.
Nursing Foals to 4 mo.	creep feed up to 3 lbs.	creep feed up to 4 lbs.	creep feed up to 5 lbs.
4 - 6 mo. (Weanling)	4 - 6 lbs.	5 - 7 lbs.	6 - 8 lbs.
6 - 9 mo.	5 - 7 lbs.	6 - 8 lbs.	7 - 9 lbs.
9 - 11 mo.	6 - 8 lbs.	7 - 9 lbs.	8 - 10 lbs.
Yearling - 2 Yrs. Old	6 - 8 lbs.	7 - 9 lbs.	8 - 10 lbs.
Performance Horse	7 - 9 lbs.	8 - 10 lbs.	9 - 11 lbs.
Breeding Stallion*	4 - 8 lbs.	5 - 9 lbs.	6 - 10 lbs.
Idle Horse*	3 - 5 lbs.	3 - 5 lbs.	3 - 5 lbs.

*Note: If the pregnant mare, breeding stallion, or idle horse is able to maintain its weight on hay or pasture with little or no grain being fed - then feed only TDI 10 Supplement at 2 lbs. per day.

GUARANTEED ANALYSIS:



Order formula number: 1451 sacked

1452 bulk

Crude Protein, min	16.00%
Crude Fat, min	5.00%
Crude Fiber, max	6.50%
Calcium (Ca), min	0.75%
Calcium (Ca), max	1.25%
Phosphorus (P), min	0.70%
Selenium (Se), min	0.60 ppm
Copper (Cu)	50.0 ppm
Zinc (Zn), min	160 ppm
Vitamin A, min	3,000 IU/lb
Vitamin D, min	540 IU/lb
Vitamin F min	100 IU/lb

TDI 30 HORSE FEED 830-00

PELLET | ALL AGES | HORSES

TDI 30 IS A RATION BALANCER THAT CONTAINS QUALITY PROTEIN AND A HIGH CONCENTRATION OF VITAMINS AND MINERALS. IT SHOULD BE MIXED WITH WHOLE GRAINS ALLOWING THE PRODUCER TO MIX THEIR OWN RATION. THE FEED IS SUITABLE FOR ALL HORSES. MADE WITH ZINPRO ORGANIC TRACE MINERALS. NOT TO BE FED TO SHEEP.

FEEDING DIRECTIONS:

1 lb Growing Horse (3-5 months)

2 lb Growing Horse (6 month-3 years)

Pregnant Mare
Lactating Mare
Performance Horse
Idle Horse
Breeding Stallion

Order formula number: 1458 sacked

1457 bulk

MIXING DIRECTIONS:

Contact TDI for a custom computer balanced mix at no charge or mix at

LBs per 1 ton mix

	14% ration	12% ration
Oats (crimped preferred)		850
Corn (cracked or rolled)	650	650
TDI 30 supplement	400	300
Molasses	100	100

GUARANTEED ANALYSIS:



the following rate:

Crude Protein, min	14%	12%
Crude Fat, min	3.5%	3.5%
Crude Fiber, max	6.5%	6.5%
Calcium, min	0.7%	0.6%
Phosphorus, min	0.6%	0.5%
Vitamin A (IU/lb.)	3300	2600
Vitamin D (IU/lb.)	780	580
Vitamin E (IU/lb.)	110	85

TDI SENIOR HORSE FEED

PELLET | SENIOR HORSES | HORSES

TDI SENIOR IS FORMULATED SPECIFICALLY FOR SENIOR HORSES AND GREAT FOR THOSE WITH POOR OR MISSING TEETH. IT IS A SOFT TEXTURE PELLET WITH SHREDDED BEET PULP AS A BASE MAKING IT HIGHLY DIGESTIBLE AND EXTREMELY PALATABLE KEEPING THE GERIATRIC HORSE IN MIND. IT MAY BE FED AS A SOLE RATION OR WITH HAY. MADE WITH ZINPRO ORGANIC TRACE MINERALS.

NOT TO BE FED TO SHEEP.

FEEDING DIRECTIONS:

Divide into 3 or 4 feedings daily.

Fed without hay Weight of Horse Daily Amount

800 lbs 10 lbs 1000 lbs 12 lbs 1200 lbs 14lbs

Fed with hay Feed according to body condition and activity. Horses with moderate activity should start at .75 to 1% of body weight. Horses less than 5 lbs per day should have TDI 10.

TDI COMPETITION CONDITIONER

PELLET | GROWING, SHOW, PERFORMANCE | ALL SPECIES

TDI COMPETITION IS A PELLETED NUTRITIONAL SUPPLEMENT FOR ALL SPECIES OF GROWING, SHOW, AND PERFORMANCE HORSES, CATTLE, SHEEP, AND SWINE.

FEEDING DIRECTIONS:

- HORSES As a top-dress supplement for growing, show, and performance horses, feed 0.5 to 1 lb per 500 lb of body weight daily
- CATTLE As a top-dress supplement for growing and show cattle, feed 0.5 to 1 lb per 500 lb of body weight daily.
- SHEEP For growing and show lambs and sheep, feed 0.1 to 0.2 lb per 100 lbs body weight daily.
- SWINE As a top-dress supplement for growing and show swine, feed 0.1 to 0.2 lbs per 100 lbs body weight daily.

NOTE 4 tablespoons = 0.1 lb

Introduce over one week to achieve maximum quantities. If loose stools occur, reduce quantity and increase gradually. Always provide plenty of clean, fresh water.

GUARANTEED ANALYSIS:



INGREDIENTS

Rice Bran, Whole Flax, Whole Yellow Corn, Corn Oil, Vitamin E Supplement

Crude Protein, min	14.00%
Crude Fat, min	
Crude Fiber, max	
Calcium (Ca), min	2.75%
Calcium (Ca), max	3.75%
Phosphorus (P), min	1.00%
Potassium (K), min	1.00%
Sodium, min	0.01%
Sodium, max	0.03%
Copper (Cu), min	9.00 ppm
Zinc (Zn), min	29.00 ppm
Selenium (Se), min	0.30 ppm
Vitamin E, min	500 IU/lb

TDI SAFE 'N SURE HORSE FEED 824-00

PELLET | YEARLINGS THRU ADULTS | HORSES

SAFE 'N SURE PROVIDES A BALANCE OF CONTROLLED ENERGY FROM MULTIPLE SOURCES INCLUDING FAT FROM VEGETABLE OIL AND HIGHLY DIGESTIBLE FIBER. ENERGY FROM FAT AND FIBER WILL REDUCE STARCH AND SUGAR LEVELS IN THE DIET, RESULTING IN LOWER GLYCEMIC RESPONSE. DISORDERS SUCH AS TYING UP, LAMINITIS, INSULIN RESISTANCE, AND BEHAVIOR PROBLEMS ARE ASSOCIATED WITH ELEVATED GLYCEMIC RESPONSE. SAFE 'N SURE HELPS TO MAINTAIN A HEALTHY DIGESTIVE TRACT BY PROVIDING SLOW-RELEASE COOL ENERGY.

NOT TO BE FED TO SHEEP

FEEDING DIRECTIONS:


(Per Day)	Feeding Rate per 100 pounds of body weight	
	Minimum	Maximum
Maintenance	0.25	1.0
Light Exercise	0.25	1.25
Moderate Exercise	0.50	1.25
Heavy Exercise	0.75	1.25
Yearlings - 2 Year Olds	0.75	1.25
Gestation, Early	0.25	1.0
Gestation, Mid	0.50	1.0
Gestation, Late	0.75	1.0
Lactation, Early	1.0	1.50
Lactation, Late	0.75	1.0

Note: If the pregnant mare, breeding stallion, or idle horse can maintain weight on hay/pasture with little or no grain fed, then feed only TDI-10 Supplement at 2 lbs. per day. *Ideally*, above quantities should be divided into 3 or 4 feedings daily. **WEIGH YOUR FEEDI**



Crude Protein, min	14.00%
Crude Fat, min	7.00%
Crude Fiber, max	18.00%
Calcium, min	0.80%
Calcium, max	1.20%
Phosphorus, min	0.60%
Copper, min	55 ppm

Zinc, min	170 ppm
Selenium, min	0.60 ppm
Biotin, min	2.3 mg/lb
Vitamin A, min	4750 IU/lb
Vitamin D, min	550 IU/lb
Vitamin E, min	100 IU/lb
NSC Level	17.5%



While this manual is packed full of information about our feeds, we know that sometimes it feels most helpful to talk to an expert who can guide you to the right products!

Our Nutritional Consultants would love to talk with you about your unique needs!

Stop in, give us a call, or send us an email!

We can't wait to hear from you.

Address: 14033 Grabill Rd, Grabill, IN 46741

Phone: 260-627-2196

Toll Free: 800-589-2196

Email: info@sauderfeeds.com

Website: www.sauderfeeds.com

